

MATERIAL SAFETY DATA SHEET SKULL SHINE PREWASH

INNOVATIVE CHEMICAL CORPORATION
55 WOODRIDGE DRIVE
AMHERST, NY 14228
PHONE: 716-689-4600 FAX 716-689-6414

EMERGENCY TELEPHONE NUMBER- CHEMTREC 800-424-9300
OUTSIDE US- 703-527-3887

MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.
STANDARD MUST BE CONSULTED FOR SPECIFIC REQUIREMENTS.

MANUFACTURER'S NAME
TORCO RACING FUELS, INC.

PREPARED BY
LAB SUPERVISOR (REVISED 5-3-06)

SECTION I - IDENTIFICATION

TRADE NAME: SKULL SHINE PREWASH
DOT CLASS: UNRESTRICTED / NON REGULATED

PRODUCT CODE: OH-699

HEALTH 1
FLAMMABILITY 0
REACTIVITY 0

CHEMICAL NAME: MIXTURE

VOC COMPLIANT: 2-9-06

SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS	OSHA PEL	ACGIH TLV
-----------------------------	-----------------	------------------

NONE

ALL OTHER INGREDIENTS ARE CONSIDERED NON-HAZARDOUS PER OSHA 29 CFR 1910-1200

SECTION III - CHEMICAL CHARACTERISTICS

BOILING POINT:	N/D	SPECIFIC GRAVITY (H2O=1)	.995
VAPOR PRESSURE (mm Hg):	N/D	MELTING POINT:	N/A
VAPOR DENSITY (air=1)	>1	EVAPORATION RATE (Butyl Acetate=1)	<1
SOLUBILITY IN WATER:	COMPLETELY	% SOLIDS:	N/D
WEIGHT (lbs/gal):	8.29	PH:	9.93
VISCOSITY: SPINDLE 2 @ 20 RPM			
1340 CPS			
APPEARANCE AND COLOR:	SEMI-VISCOUS RED LIQUID WITH A CHERRY ODOR		

SECTION IV: - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (method used) WILL NOT FLASH
FLAMMABLE LIMITS: N/A
LEL: N/A **UEL:** N/A
EXTINGUISHING MEDIA: COMPATIBLE WITH ALL EXTINGUISHING MEDIA
SPECIAL FIRE FIGHTING PROCEDURES: BUNKER GEAR AND SCBA RECOMMENDED.
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE KNOWN

Page 3 (cont'd)-

TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.